



HYDRAULIC MOBILE COLUMNS
ERCO-LE H65 | H75 | H86

THE NEW STANDARD IN MOBILE POWER

The new ERCO-LE H65, H75 and H86 hydraulic mobile columns redefine the very concept of lifting operations, offering enhanced control, autonomy, and operational intelligence.

In the daily operations of the modern workshop, lifting is not just a task: it is a responsibility. Corghi is therefore introducing a new generation of mobile columns, engineered to deliver maximum power, total control and unwavering reliability in all operating conditions.

The hydraulic mobile columns ERCO-LE H65, H75 and H86 represent the evolution of our experience in professional lifting, while integrating advanced technology, intelligent handling and solutions designed to streamline work processes, enhance safety standard and optimise overall workshop efficiency.

**A new reference
for professionals who do not
accept compromises.**



NEW

Corghi ERCO-LE H65, H75 and H86

Mobile columns designed for professionals demanding **absolute reliability, total control and certified performance** in their workshops every day.



Fast movements with hydraulic trolley

Maximum manoeuvrability, minimum effort

The integrated hydraulic trolley facilitates efficient and accurate movements of columns, optimising **positioning times** and improving **operational ergonomics** even in complex environments.



Long-life battery

Autonomy to support productivity

Long-life 24 V dc high-performance Gel batteries guarantee **approximately 30 lifting cycles** per recharge, ensuring continuity of work, **minimal maintenance** requirements and reliable performance over time.

They can be recharged via a normal electrical outlet and the integrated **battery charger: 100/240 V - AC; 50 /60 Hz, 8 A.**



Wireless synchronisation between columns

Perfectly co-ordinated precision

Wireless synchronisation technology ensures consistent and **controlled lifting of all columns**, eliminating wiring and simplifying system configuration.

Up to 8 columns can be connected



Independent columns with colour touch-screen display

Intelligent control at a glance

Each column is equipped with a colour touch-screen display that provides **an intuitive and immediate interface**, for complete handling of operations and **constant monitoring** of system status.

Adjustable forks with wide grip range

Versatility designed to fit any vehicle

The adjustable forks allow benefiting from a wide tyre grip range, spanning **from 60 to 135 cm**.

This solution that ensures maximum **operational flexibility**, **load stability** and safety when lifting, even on vehicles with different configurations.




Accessories

NX155023001010
Fixed support



NX155023001040
Lifting crossbar




NX155023001077
Trailer crossbar kit



NX155023001072
Pick-up crossbar kit
(ERCO-LE H86 only)

Technical specifications	ERCO-LE H65	ERCO-LE H75	ERCO-LE H86
Capacity	6500 kg / 14500 lbs	7500 kg / 16500 lbs	8600 kg / 19000 lbs
Stroke	1760 mm / 69.3"	1760 mm / 69.3"	1700 mm / 66.9"
Lifting speed	2 cm/s - 0.8"/s	2 cm/s - 0.8"/s	2 cm/s - 0.8"/s
Column weight	590 kg / 1300 lbs	610 kg / 1340 lbs	750 kg / 1650 lbs
Operating range (forks)	Internal width: min 348 mm - max 625 mm	Internal width: min 348 mm - max 625 mm	Internal width: min 265 mm - max 625 mm
Mode of operation	Interface with touch-screen and buttons Built-in control panel with LCD monitor, Wi-Fi control		
Power supply	Batteries 24 V dc - Integrated battery charger		
Safety devices	Flow valve; Counterbalancing valve; Mechanical safety lock; Pressure relief valve; Padlockable main switch		
Colour touch-screen display	4,3" - max 8 columns (standard)		

ERCO-LE H65 | H75



ERCO-LE H86

